

[Softness and resistance]



Type of use

Engineering works. Aircraft assembly, Automotive assembly. Fork-lift driver. Gardening...

Technical features

- ✓ **Construction:** Elasticated knitted wrist. Leather vein patch. Buttonhole. Gunn cut pattern. Wing thumb.
- ✓ **Material:** Full goatskin leather.
- ✓ **Colour:** natural.
- ✓ **Sizes:** 7, 8, 9, 10, 11.
- ✓ **Packing:** - Carton of 100 pairs.
- Bundle of 10 pairs.



Learn more: www.singer.fr

Advantages

- ✓ Knitted wrist preventing from the penetration of foreign bodies and providing a good hand fit.
- ✓ Comfort and softness of the grain leather.
- ✓ Very good dexterity.
- ✓ Can be used as cover glove.

Fine work
in a dry
environment

Conformity

This glove has been tested according to European Standard **EN388: 2003** against mechanical hazards (intermediate design). It complies with the **European Directive 89/686/EEC** on Personal Protective Equipment (PPE).
EC type examination certificate issued by **SGS** Notified Body **No. 0120**.



EN388: 2003. Mechanical data. Information on the levels	Level 1	Level 2	Level 3	Level 4	Level 5	CHV114 Levels	EN388: 2003
Abrasion resistance (number of cycles)	100	500	2000	8000	-	2	 2 1 2 1
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	1	
Tear resistance (in Newtons)	10	25	50	75	-	2	
Perforation resistance (in Newtons)	20	60	100	150	-	1	

Your distributor **SINGER® SAFETY**

SINGER®
safety