


Model	Line	Standard
ROCK	RITMO	EN ISO 20345:2011
Article	Protection	Availability in stock
91182-00L	S3 SRC	AVAILABLE 



Preview	Sole	PU Dual-Density SRC passed
---------	------	----------------------------



PU-PU insole
With a new formula, we have obtained a lighter and more comfortable in-between insole. The new design of the outsole has superior performances compared with standard ones after slipping tests on wet surfaces.

Removable Insole



The upper part in FLYFIT, directly in contact with the foot, guarantees transpiration and comfort. The support in thermoformed EVA HD with large holes ensures correct posture and position of the foot.

Protection Elements



A new aluminium multi-thicknesses toecap, which delivers a highly performing protection where needed. Resistant to impact of over 200J. Textile anti-perforation insert. Resistant to over 1100N with zero perforation.

Plus



Support made of rigid plastic material. It stabilizes the heel bone, the instep and tarsal joints, without altering energy absorption. A support for the natural movement of the foot; it provides comfort and greater stability.

Plus



Ergonomic rigid internal structure. It houses the heel into the right seat, adjusting the foot support and control of the ankle sideways movements. It keeps the foot tight to the shoe, allowing the perfect fit.

Type	Ankle boot
Upper	Full Grain Drummed leather Hydrotech Soft Full Grain Leather Soft Full Grain Leather
Lining	3D Air circulation 320 gr.
Antislip Lining	DUALMICRO
Removable Insole	Soft-Fit
Sole	PU Dual-Density SRC passed
Toe Cap	Alu SXT 2,0
Anti-Perforation	ZERO (k) ANTIPERFORATION
Size	35-48
Weight gr.	550

Working Environment

Multipurpose, Finishing-off building, Logistics and Light Industry, Componentistica e Automotive.

SRC

SRC (SRA+SRB)

	FLAT	HEEL
SRA CERAMIC + DETERGENT SOLUTION	≥ 0.32	≥ 0.28
SRB STEEL + GLYCEROL	≥ 0.18	≥ 0.13

Antistatic



Wire Electricity Discharge

Strip with 4 filaments of carbon fiber, ensuring proven anti-static properties of the footwear over time.

Features



Symbols



Maspica SpA
lab for shoes

Via A. Einstein, 6 - 35020 Casalerugo (PD) - ITALY - Tel. +39 049 8740771 - Fax. +39 049 8741376 - mail info@maspica.it - www.sixton.it