



MADE IN ITALY

Model	Line	Standard
BELLUNO	MODULAR	EN ISO 20345:2011
Article	Protection	Availability in stock
82295-06LS	S3 SRC	AVAILABLE



Preview	Sole	PU / PU ESD-plus SRC passed
---------	------	-----------------------------



Two-component PU sole, Outer - and in-between sole with ESD compound. For use in contact with sensitive electronic equipment. Light and comfortable, very versatile, highly non-slip. SRC Antislip standard.

Removable Insole



Anatomical and ergonomic removable insole with Flyfit, in direct contact with the foot, transpiring, and comfortable. The EVA HD perforated and thermoformed support ensures comfort and energy absorption.

Protection Elements



Toecap made of plastic, incredibly light and resistant to impact of over 200J, elastic. Athermic. Not detected by metal detector. Fabric anti-perforation foil. Resistant to over 1100 N with zero perforation.

Type	Ankle boot
Upper	Full Grain Drummed leather Hydrotech Pu Coated Leather Soft Full Grain Leather
Lining	3D Air circulation 320 gr.
Antislip Lining	DUALMICRO
Removable Insole	Blow-fit 2,0
Sole	PU / PU ESD-plus SRC passed
Toe Cap	C.T.C. - Composite Toe Cap
Anti-Perforation	ZERO (k) ANTIPERFORATION
Size	36-48
Weight gr.	590

Working Environment

Finishing-off building, Logistics and Light Industry, Components and Automotive.

SRC

SRC (SRA+SRB)

Sole 82 PU - PU		
SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥ 0.32 HEEL (1000N/40mm ²) ≥ 0.28	0.47 0.43
SRB STEEL + GLYCEROL	FLAT ≥ 0.18 HEEL (1000N/40mm ²) ≥ 0.13	0.21 0.16

EN ISO 20345:2011

Antistatic



"Classe 3"

ESD footwear with high level of electrostatic dissipation. Electrical isolation between 0.1 and 100 M Ω with relative humidity of 50%.

Plus



Support made of rigid plastic material. It stabilizes the heel bone, the instep and tarsal joints, without altering energy absorption. A support for the natural movement of the foot; it provides comfort and greater stability.

Plus



Ergonomic rigid internal structure. It houses the heel into the right seat, adjusting the foot support and control of the ankle sideways movements. It keeps the foot tight to the shoe, allowing the perfect fit.

Features



Symbols



Maspica SpA
lab for shoes

Via A. Einstein, 6 - 35020 Casalsierugo (PD) - ITALY - Tel. +39 049 8740771 - Fax. +39 049 8741376 - mail info@maspica.it - www.sixton.it